INDEX OF AUTHORS
Volume 27, 1987

A

Aguay, A. T., Romero, A., Arandes, J. M., and Bilbao, J.
Effect of the properties of silica-alumina catalysts on their deactivation by the deposition of coke 642

Aguayo, A. T., Romero, A., and Bilbao, J.
Relationship between the properties of silica-alumina catalysts and their activity for the dehydration of alcohols 650

Akhmetshin, M. I., Kuz'min, A. L., Lanina, T. N., Mukhametov, M. N., and Prokopyuk, S. G.
Experience in the operation of an L-25-5 catalytic reformer after reconstruction 155

Albrecht, R. See Rautenbach, R.
Antorrena, G. M. See Vasquez, G.

Aragaki, T., Nakayama, S., Suzuki, M., and Toyama, S.
Characteristics of a falling film on a vertical tube 326

Aragaki, T. See Mori, H.

Arai, M. See Hojo, H.
Arandes, J. See Mohilla, R.

Audibert, S. and Gaudet, J. P.
Investigation of the use of transfer functions for determination of the thermal parameters of porous materials in their natural state 40

B

Bae, H. K., Kim, S. S., and Han, D. H.
Estimation of the equilibrium concentration of less-volatile substances in supercritical gases 132

Bancheva, M., Staeva, R., and Boyadzhiev, Kh.
Estimation of the thermodynamic efficiency of various chemical and physical processes 121

Bariou, B. See Poyen, S.

Ben-Aim, R. I.
Influence of structural parameters on the mechanism of combustion of coal 70

Bilbao, J. See Aguayo, A. T.

Botton, R. Cosserat, D., and Charpentier, J.-C.
A new laboratory apparatus for the study of gas-liquid reactions and the simulation of reactors: the gas-lift bubble-column 243

Boyadzhiev, Kh. See Bancheva, M.

C

Charpentier, J.-C. See Botton, R.
Charpentier, J.-C. See Saberian-Broudjenni, M.

Chesna, B. A. and Kolesnikovas, I. Yu.
Influence of spacer grids on the rate of heat transfer in an air stream flowing longitudinally through a bundle of rods 158

Cho, K. S. See Kim, K. L.

Corbel, S. See Froelich, D.
Cosserat, D. See Bottom, R.

Czelej, M.
The polynomial form of the Wilson equation for binary and ternary systems 535

D

Deckwer, W.-D. and Schumpe, A.
Bubble columns—the state of the art and current trends 405

Desille, M. See Poyen, S.

Dickmann, J. See Schügerl, K.

Dolesjs, V. and Machac, I.
Pressure drop in the flow of a fluid through a fixed bed of particles 730

Dylag, M. and Maszek, L.
Flat wire-mesh demisters for gases. II. Physical and mathematical models 737

E

Euzen, J.-P. See Saberian-Broudjenni, M.

F

Fortin, Y. See Saberian-Broudjenni, M.

Froelich, D., Corbel, S., Prado, G., and Merry J. L.
Experimental study and modeling of the combustion of a coal particle 66

Fukai, J., Miura, T., and Ohtani, S.
Effective thermal conductivity during carbonization of a packed bed containing one or two varieties of coal 334

Fukai, J., Watanabe, M., Miura, T., and Ohtani, S.
Simultaneous estimation of thermophysical properties by nonlinear least squares 455

Fukuda, T. See Idogawa, K.

Fullarton, D., Schlünder, E. U., and Yüksel, L.
Condensation of mixtures of isopropanol and steam 597

G

Gartsman, A. N.
Diffusive flux through flat and spherical gas-liquid interfacial surfaces with a zero-order chemical reaction in the liquid 125

Gaudet, J. P. See Audibert, S.

Gordeev, L. S. See Kafarov, V. V.

Guignon, P. See Large, J. F.

H

Han, D. H. See Bae, H. K.

Harada, E. See Kohya, T.

Haraoka, S. See Inuzuka, M.

Hashimoto, H. See Takatsuka, T.

Hashimoto, Y. See Takamatsu, T.

Herwig, H.
Approximate method of treating variable properties in the calculation of plane laminar boundary layer flows past cylindrical bodies 25

Hidaka, J., Kirimoto, Y., Miwa, S., and Makino, K.
Discontinuous deformation and flow, and the frictional properties of granular materials 514

Hirato, M. See Yoshioka, S.

Hofmann, G. See Wöhlk, W.

Hojo, H., Tsuda, K., Arai, M., and Kano, Y.
Flame propagation in a cylindrical pipe and the quenching ability of a flame arrester 709

Hoshino, C. See Ohtani, T.

Hulewiz, Z. Z.
Resistance to flow through a granular bed in the laminar regime. I. Derivation of a new correlating *equation* 566

I

Ideka, K. See Idogawa, K.

Idogawa, K., Ideka, K., Fukuda, T., and Morooka, S.
Effect of gas and liquid properties on the behavior of bubbles in a column under high pressure 93

Inayoshi, M. See Shirato, M.

Inoue, H. See Tsujikawa, H.

Inoue, I. See Kuroda, C.

Inoue, I. See Ogawa, K.

Inuzuka, M., Saito, I., Moriya, T., Yamada, I., Haraoka, S., Ishikawa, H., and Mori, H.
Evaporation of binary mixtures under vacuum ... 100

Ishibashi, Y. See Yoshioka, S.

Ishikawa, H. See Inuzuka, M.

Iwata, M. See Shirato, M.

K

Kafarov, V. V., Vinarov, A. Yu., and Gordeev, L. S.
Modeling of bioreactors 615

Kano, Y. See Hojo, H.

Karroua, M. See Leclercq, G.

Katayami, T. See Yamaguchi, M.

Kawasaki, T. See Tanno, S.

Kim, K. L. and Choi, K. S.
*Hydrodesulfurization over hydrotreating cata*lysts 340

Kim. S. S. See Bae, H. K.

Kimura, N. See Mori, H.

Kimura, S. See Ohtani, T.

Kirimoto, Y. See Hidaka, J.

Kiuchi, N. See Yoshioka, S.

Kobayashi, A. See Yamaguchi, M.

Kohya, T., Kuriyama, M., Toda, M., Harada, E., and Konno, H.
Heat transfer from horizontal, parallel tube banks under a corona discharge 319

Kolesnikovas, I. Yu. See Chesna, B. A.

Komatsu, K. See Takasaki, Y.

Konno, H. See Kohya, T.

Konno, H. See Kuriyama, M.

Korte, T. See Schügerl, K.

Kunigita, E., Nisitani, H., and Kutsuwa, Y.
Feasible regions and flexibility of a process system represented by a linear model 716

Kunigita, E. See Yasuoka, H.

Kuriyama, M., Toda, M., Harada, E., and Konno, H.
Heat transfer from a vibrating, rotating sphere in an air stream 473

Kuriyama, M. See Kohya, T.

Kuroda, C., Ogawa, K., and Inoue, I.
Measurement of fluctuations in the concentration of *helium in a turbulent stream of air* 694

Kutsuwa, Y. See Kunigita, E.

Kuwahara, M. See Sawada, T.

Kuz'min, A. L. See Akhmetshin, M. I.

Kveselis, V. V., Shidlauskas, V. A., and Tamonis, M. M.
Radiation between a gaseous stream and an annular *channel* 162

L

Lafaille, J.-P., Sanchez, V., and Mahenc, J.
Mass transfer in hollow-fiber ultrafiltration mod*ules* 258

Lallemand, M. See Thomasset, D.

Lanina, T. N. See Akhmetshin, M. I.

Large, J. F., Guignon, P., and Molodtsof, Y.
The hydrodynamics of raining-particle heat exchangers and their applications 607

Laurent, P., Thomasset, D., and Lallemand, M.
Determination of the thermal characteristics of a soil near a buried heat exchanger based on in-situ measurements of the temperature profiles 210

Lecjaks, Z., Machač, I., and Šir, J.
Heat transfer to a Newtonian liquid flowing through a tube with an internal helical element 210

Lecjaks, Z., Machač, I., and Šir, J.
Pressure loss in fluids flowing in pipes equipped with *helical screws* 205

Leclercq, G., Petryuk, S., Peyrovi, M., and Karroua, M.
Hydrogenolysis of hexane to methane on metallic catlysts 218

Li, D., Ma, Y., Zhao, S., Zhao, X., and Zhai, W.
A mathematical model for the low-pressure hydroformylation of propene to butanol on a cobalt-phosphorus catalyst 524

Lübbert, A. See Schügerl, K.

M

May, Y. See Li, D.

Machač, I. See Dolesjs. V.

Machač, I. See Lecjaks, Z

Mahenc, J. See Lafaille, J.-P.

Makino, K. See Hidaka, J.

Maszek, L. See Dylag, M.

Matsubara, M.

Similarity analyses of the composition and chemical *structure of heavy oils by statistical methods* 657

Matsumoto, S. See Shitara, T.

Merry, J. L. See Froelich, D.

Michele, H.

Purification of flue gases by dry sorbents—possibilities and limits 183

Miura, T. See Fukai, J.

Miura, T. See Tanno, S.

Miyamoto, T. See Yoshioka, S.

Miwa, S. See Hidaka, J.

Mohilla, R., Argeylan, J., and Szolcsanyi, P.

A rapid method for calculating the breakthrough curve of gas-cleaning adsorbers 723

Molodtsof, Y. See Guignon, P.

Mori, H., Kimura, N., Aragaki, T., Toyama, S., and *Shirato, M.*

Collection efficiency of granular-bed filters due to *diffusion, interception, and sedimentation* 288

Mori, H. See Inuzuka, M.

Moriya, T. See Inuzuka, M.

Morimoto, Y. See Takatsuka, T.

Morooka, S. See Idogawa, K.

Mukhametov, M. N. See Akhmetshin, M. I.

Murakami, Y. See Takao, M.

Murase, T. See Shirato, M.

N

Nagao, T. See Takeuchi, T.

Nakajima, N. See Takeuchi, T.

Nakamura, Y. See Sawada, T.

Nakanishi, E. See Yasuoka, H.

Nakayama, S. See Aragaki, T.

Navaza, J. M. See Vasquez, G.

Nishitani, H. See Kunigita, E.

O

Ogawa, K. See Kuroda, C.

Ohbori, K. See Yamaguchi, M.

Ohtani, S. See Fukai, J.

Ohtani, S. See Tanno, S.

Ohtani, T., Watanabe, A., Hoshino, C., and Kimura, S.

Rejection properties of dynamic membranes of ovalbumin in ultrafiltration 295

Osawa, T. See Tsujikawa, H.

P

Patoux, R. See Saberian-Broudjenni, M.

Petruyuk, S. See Leclercq, G.

Peyrovi, M. See Leclercq, G.

Poyen, S. Quemeneur, F., Bariou, B., and Desille, M.

Improvement of the flux of permeate in ultrafiltration by turbulence promoters 441

Prado, G. See Froelich, D.

Prokopyuk, S. G. See Akhmetshin, M. I.

Q

Quemeneur, F. See Poyne, S.

R

Rautenbach, R. and Albrecht, R.

Pervaporation and gas permeation—fundamentals of *process design* 10

Romero, A. See Aguayo, A. T.

S

Saberian-Broudjenni, M., Wild, G., Charpentier, J.-C., *Fortin, Y., Euzen, J.-P., and Patoux, R.*

Contribution to the hydrodynamic study of gas-liquid-*solid fluidized-bed reactors* 423

Saito, I. See Inuzuka, M.

Sanchez, V. See Lafaille, J.-P.

Sato, S. See Takatsuka, T.

Sato, Y. and Yamamoto, K.

Mechanisms of mixing and diffusion in isotropic, turbulent flow based on experimental data for the Lagrangian velocity autocorrelation and for turbulent diffusion 488

Sawada, T., Kuwahara, M., Nakamura, Y., and Suda, H.

Effect of a process of explosion for the effective *utilization of biomass* 686

Schlünder, E. U. See Fullarton.

Schlünder, E. U. See Tsotsas, E.

Schügerl, K., Lübbert, A., Korte, T., and Diekmann, J.

Measuring techniques for characterizing gas/liquid reactors 583

Schulz, S. See Sievers, U.

Schumpe, A. See Deckwer, W.-D.

Shidlauskas, V. A. See Kveselis, V. V.

Shirato, M., Murase, T., Yamazaki, Y., Iwata, M., and Inayoshi, M.

Patterns of flow in a filter chamber during dynamic filtration with a grooved disk 304

Shirato, M., Yamazaki, H., Murase, T., and Iwata, M.

Frictional resistance between a fluid and a grooved, *rotating disc in a dynamic filter chamber without permeation or throughflow* 498

Shirato, M. See Mori, H.

Shitara, T., Matsumoto, S., and Suzuki, M.

New numerical method for solving problems involving one-dimensional unsteady thermal conduction in laminated binary materials 76

Sieniutycz, S.
Variational approach to the fundamental equations of heat, mass, and momentum transport in strongly unsteady-state processes. I. General action functionals 545
Sievers, U. and Schulz, S.
Calculation of thermodynamic properties of fluid mixtures with the help of an equation of state, using new mixing and combining rules. Derivation of the mixing and combining rules 379
Sievers, U. and Schulz, S.
Calculation of thermodynamic properties of fluid mixtures with the help of an equation of state using new mixing and combining rules. Results of the calculations 391
Šir, J. See Lecjaks, Z.
Staeva, R. See Bancheva, M.
Suda, H. See Sawada, T.
Suzuki, M. See Aragaki, T.
Suzuki, M. See Matsumoto, S.
Szolcsanyi, P. See Mohilla, R.

T

Tabis, B.
A method of calculation for tubular reactors using a Green's function 539
Tachikawa, N. See Takasaki, Y.
Takahashi, M., Yokoyama, C., and Takahashi, S.
Viscosities of gaseous 1,2,2-trichloro-1,1,2-trifluoroethane (R113) 1,2-dichloro-1,1,2,2-tetrafluoroethane (R114), and chlorpentafluoroethane (R115) 85
Takahashi, S. See Takahashi, M.
Takamatsu, T., Hashimoto, I., and Hashimoto, Y.
Selection of manipulated variables to minimize interaction in multivariate control of a distillation column 669
Takao, M., Yamasaki, H., and Murakami, Y.
An experimental investigation of the relationship between physical mixing and instantaneous reaction in a stirred-tank reactor 311
Takasaki, Y., Komatsu, K., and Tachikawa, N.
Kinetic method of evaluating a catalyst 678
Takatsuka, T., Sato, S., Morimoto, Y., and Hashimoto, H.
A reaction model for fluidized-bed catalytic cracking of residual oil 107
Takeuchi, T., Nagao, T., Yatamura, Y., and Nakajima, N.
The principle of similarity in the mechanics of granular materials. 2. Experimental confirmation using small- and medium-scale silos 268
Tamonis, M. M. See Kveselis, V. V.
Tang, H.
A new cubic equation of state 148
Tanno, S., Kawasaki, T., Miura, T., and Ohtani, S.
Effect of the rate of flow of ambient air on the rate of deposition of droplets in a spray chamber 701
Thomasset, D. See Laurent, P.
Toda, M. See Harada, E.
Toda, M. See Kohya, T.
Tomuro, J. See Yoshioka, S.
Toyama, S. See Aragaki, T.
Toyama, S. See Mori, H.
Tsotsas, E. and Schlünder, E. U.
Heat transfer through narrow gas gaps: a crucial problem in cooled-chip supports in high-capacity computers 34
Tsuda, K. See Hojo, H.
Tsujikawa, H., Osawa, T., and Inoue, H.
Separation of benzene and nitrogen by permeation through porous Vycor glass 479

V

Vasquez, G., Antorrena, G. M., Navaza, J. M., and Vega, J. L.
The influence of viscosity of the distribution of surface velocities 448
Vega, J. L. See Vasquez, G.
Vermersch, M. A.
The simultaneous combustion of natural gas and pulverized coal in long diffusion flames 50
Vinarov, A. Yu. See Kafarov, V. V.
Vogg, H.
Behavior of (heavy) metals in the incineration of municipal wastes 177

W

Watanabe, M. See Fukai, J.
Watanabe, A. See Ohtani, T.
Wild, G. See Saberian-Broudjenni, M.
Wöhlk, W. and Hofmann, G.
Types of crystallizers 197

Y

Yamada, I. See Inuzuka, M.
Yamaguchi, M., Kobayashi, A., Ohbori, K., and Katayama, T.
Continuous separation of an emulsion of water in oil by applying a DC electric field 506
Yamamoto, K. See Sato, Y.
Yamasaki, H. See Takao, M.
Yamazaki, H. See Shirato, M.
Yamazaki, Y. See Shirato, M.
Yasuoka, H., Nakanishi, E., and Kunigita, E.
Design of an on-line startup system for a distillation column based on a simple algorithm 466
Yatamura, Y. See Takeuchi, T.
Yokoyama C. See Takahashi, M.
Yorizane, M. See Yoshida, H.
Yoshida, H. and Yorizane, M.
Comparative characteristics of distillation columns with open steam and reboilers 117

Yashioka, S., Miyamoto, T., Tomura, J., Hirato, M., Kiuchi, N., and Ishibahi, Y.
Circulatory flow of particles in a 0.96-m-diameter fluidized bed 281
Yüksel, L. See Fullarton, D.

Z

Zaleski, T. and Lachowski, A.
Unsteady temperature profiles in parallel-flow spiral heat exchangers 556
Zhai, W. See Li, D.
Zhao, X. See Li, D.
Zhao, Z. See Li, D.
Zhuang, Z.
Residence-time distribution of a system with complex flow 141
Zlokarnik, M.
Scale-up under conditions of partial similarity 1

CONTENTS
Vol. 27, No. 1, January 1987

Zlokarnik, M.	**1**	Scale-up under conditions of partial similarity, *Chemie-Ingenieur-Technik* **57**, No. 5 (1985), Federal Republic of Germany.
Rautenbach, R. and Albrecht, R.	**10**	Pervaporation and gas permeation—fundamentals of process design, *Chemie-Ingenieur-Technik* **57**, No. 2 (1985), Federal Republic of Germany.
Herwig, H.	**25**	Approximate method of treating variable properties in the calculation of plane laminar boundary layer flows past cylindrical bodies, *Forschung im Ingenieur-Wesen* **50**, No. 5 (1984), Federal Republic of Germany.
Tsotsas, E. and Schlünder, E.U.	**34**	Heat transfer through narrow gas gaps: a crucial problem in cooled-chip supports in high-capacity computers, *Chemical Engineering and Processing* **18** (1984), Federal Republic of Germany.
Audibert, S. and Gaudet, J. P.	**40**	Investigation of the use of transfer functions for determination of the thermal parameters of porous materials in their natural state, *Entropie*, No. 119 (1984), France.
Vermersch, M. A.	**50**	The simultaneous combustion of natural gas and pulverized coal in long diffusion flames, *Revue Générale de Thermique* **23**, No. 274 (1984), France.
Froelich, D., Corbel, S., Prado, G., and Merry, J. L.	**66**	Experimental study and modeling of the combustion of a coal particle, *Revue Générale de Thermique* **23**, No. 274 (1984), France.
Ben-Aim, R. I.	**70**	Influence of structural parameters on the mechanism of combustion of coal, *Revue Générale de Thermique* **23**, No. 274 (1984), France.
Shitara, T., Matsumoto, S., and Suzuki, M.	**76**	New numerical method for solving problems involving one-dimensional unsteady thermal conduction in laminated binary materials, *Kagaku Kogaku Ronbunshu* **11**, No. 2 (1985), Japan.
Takahashi, M., Yokoyama, C., and Takahashi, S.	**85**	Viscosities of gaseous 1,2,2-trichloro-1,1,2-trifluoroethane (R113) 1,2-dichloro-1,1,2,2-tetrafluoroethane (R114), and chloropentafluoroethane (R115), *Kagaku Kogaku Ronbunshu* **11**, No. 2 (1985), Japan.
Idogawa, K., Ikeda, K., Fukuda, T., and Morooka, S.	**93**	Effect of gas and liquid properties on the behavior of bubbles in a column under high pressure, *Kagaku Kogaku Ronbunshu* **11**, No. 4 (1985), Japan.
Inuzuka, M., Saito, I., Moriya, T., Yamada, I., Haraoka, S., Ishikawa, H., and Mori, H.	**100**	Evaporation of binary mixtures under vacuum, *Kagaku Kogaku Ronbunshu* **11**, No. 4 (1985), Japan.
Takatsuka, T., Sato, S., Morimoto, Y., and Hashimoto, H.	**107**	A reaction model for fluidized-bed catalytic cracking of residual oil, *Sekiyu Gakkaishi* **27**, No. 6 (1984), Japan.
Yoshida, H. and Yorizane, M.	**117**	Comparative characteristics of distillation columns with open steam and reboilers, *Sekiyu Gakkaishi* **26**, No. 1 (1983), Japan.
Bancheva, M., Staeva, R., and Boyadzhiev, Kh.	**121**	Estimation of the thermodynamic efficiency of various chemical and physical processes, *Hungarian Journal of Industrial Chemistry* **10**, No. 2 (1982), Hungary/Bulgaria.

Gartsman, A. N. **125** Diffusive flux through flat and spherical gas-liquid interfacial surfaces with a zero-order chemical reaction in the liquid phase, *Hungarian Journal of Industrial Chemistry* **10**, No. 2 (1982), Hungary/Soviet Union.

Bae, H. K., Kim, S. S., and Han, D. H. **132** Estimation of the equilibrium concentration of less-volatile substances in supercritical gases, *Hwahak Konghak* **22**, No. 3 (1984), Republic of Korea.

Zhuang, Z. **141** Residence-time distribution of a system with complex flow, *Huagong Xuebao*, No. 4 (1983), People's Republic of China.

Tang, H. **148** A new cubic equation of state, *Huagong Xuebao*, No. 4 (1983), People's Republic of China.

Akhmetshin, M. I., Kuz'min, A. L., Lanina, T. N., Mukhametov, M. N., and Prokopyuk, S. G. **155** Experience in the operation of an L-25-5 catalytic reformer after reconstruction, *Neftepererabotka i Neftekhimiya*, No. 1 (1982), Soviet Union.

Chesna, B. A. and Kolesnikovas, I. Yu. **158** Influence of spacer grids on the rate of heat transfer in an air stream flowing longitudinally through a bundle of rods, *Trudy Akademii Nauk Litovskoi SSR, Seriya B*, Vol. 6, No. 133 (1982), Soviet Union.

Kveselis, V. V., Shidlauskas, V. A., and Tamonis, M. M. **162** Radiation between a gaseous stream and an annular channel, *Trudy Akademii Nauk Litovskoi SSR, Seriya B*, Vol. 6, No. 133 (1982), Soviet Union.

168 International Schedule of Chemical Engineering Meetings.

CONTENTS
Vol. 27, No. 2, April 1987

H. Vogg **177** Behavior of (heavy) metals in the incineration of municipal wastes, *Chemie-Ingenieur-Technik* **56**, No 10 (1984), Federal Republic of Germany.

H. Michele **183** Purification of flue gases by dry sorbents—possibilities and limits, *Chemie-Ingenieur-Technik* **56**, No. 11 (1984), Federal Republic of Germany.

W. Wöhlk and G łofmann **197** Types of crystallizers, *Chemie-Ingenieur-Technik* **57**, No. 4 (1985), Federal Republic of Germany.

Z. Lecjaks, achač, and J. Šír **205** Pressure loss in fluids flowing in pipes equipped with helical screws, *Chemical Engineering and Processing* **18**, (1984), Federal Republic of Germany/Czechoslovakia.

Z. Lecjaks, I. Machač, and J. Šír **210** Heat transfer to a Newtonian liquid flowing through a tube with an internal helical element, *Chemical Engineering and Processing* **18**, (1984), Federal Republic of Germany/Czechoslovakia.

G. Leclercq, S. Petryk, M. Peyrovi, and M. Karroua **218** Hydrogenolysis of hexane to methane on metallic catalysts, *Entropie* **19**, No. 113-114 (1983), France.

P. Laurent, D. Thomasset, and M. Lallemand **235** Determination of the thermal characteristics of a soil near a buried heat exchanger based on *in-situ* measurements of the temperature profiles, *Entropie*, No. 120 (1984), France.

R. Botton, D. Cosserat, and J.-C. Charpentier

243 A new laboratory apparatus for the study of gas-liquid reactions and the simulation of reactors: the gas-lift bubble-column, *Entropie* **21**, No. 123 (1985).

J.-P. Lafaille, V. Sanchez, and J. Mahenc

258 Mass transfer in hollow-fiber ultrafiltration modules, *Entropie* **22**, No. 118 (1985), France.

T. Takeuchi, T. Nagao, Y. Hatamura, and N. Nakajima

268 The principle of similarity in the mechanics of granular materials. 2. Experimental confirmation using small- and medium-scale silos, *Funtai Kogaku Kaishi* **21**, No. 7 (1984), Japan.

S. Yoshioka, T. Miyamoto, J. Tomuro, M. Hirato, N. Kiuchi, and Y. Ishibashi

281 Circulatory flow of particles in a 0.96-m-diameter fluidized bed, *Kagaku Kogaku Ronbunshu* **10**, No. 5 (1984), Japan.

H. Mori, N. Kimura, T. Aragaki, S. Toyama, and M. Shirato

288 Collection efficiency of granular-bed filters due to diffusion, interception, and sedimentation, *Kagaku Kogaku Ronbunshu* **11**, No. 2 (1985), Japan.

T. Ohtani, A. Watanabe, C. Hoshino, and S. Kimura

295 Rejection properties of dynamic membranes of ovalbumin in ultrafiltration, *Kagaku Kogaku Ronbunshu* **11**, No. 2 (1985), Japan.

M. Shirato, T. Murase, H. Yamazaki, M. Iwata, and M. Inayoski

304 Patterns of flow in a filter chamber during dynamic filtration with a grooved disk, *Kagaku Kogaku Ronbunshu* **11**, No. 2 (1985), Japan.

M. Takao, H. Yamasaki, and Y. Murakami

311 An experimental investigation of the relationship between physical mixing and instantaneous reaction in a stirred-tank reactor, *Kagaku Kogaku Ronbunshu* **11**, No. 2 (1985), Japan.

T. Kohya, M. Kuriyama, M. Toda, E. Harada, and H. Konno

319 Heat transfer from horizontal, parallel tube banks under a corona discharge, *Kagaku Kogaku Ronbunshu* **11**, No. 3 (1985), Japan.

T. Aragaki, S. Nakayama, M. Suzuki, and S. Toyama

326 Characteristics of a falling film on a vertical tube, *Kagaku Kogaku Ronbunshu* **11**, No. 3 (1985), Japan.

J. Fukai, T. Miura, and S. Ohtani

334 Effective thermal conductivity during carbonization of a packed bed containing one or two varieties of coal, *Kagaku Kogaku Ronbunshu* **11**, No. 4 (1985), Japan.

K. L. Kim and K. S. Choi

340 Hydrodesulfurization over hydrotreating catalysts, *Hwahak Kongep Kwa Kiswul* **2**, No. 1 (1984), Republic of Korea.

M. Oylag and L. Maszek

358 Flat wire-mesh demisters for gases. I. Hypothesis of optimal pad-saturation, *Inzynieria Chemiczna i Procesowa* **3**, No. 2 (1982), Poland.

371 International Schedule of Chemical Engineering Meetings.

CONTENTS
Vol. 27, No. 3, July 1987

Sievers, U. and Schulz, S.

379 Calculation of thermodynamic properties of fluid mixtures with the help of an equation of state, using new mixing and combining rules. Derivation of the mixing and combining rules, *VDI-Forschungs-Heft* **609** (1982), Federal Republic of Germany.

Sievers, U. and Schulz, S. **391** Calculation of thermodynamic properties of fluid mixtures with the help of an equation of state using new mixing and combining rules. Results of the calculations, *Forschung im Ingenieur-Wesen* **48**, No. 5 (1982), Federal Republic of Germany.

Deckwer, W.-D. and Schumpe, A. **405** Bubble columns—the state of the art and current trends, *Chemie-Ingenieur-Technik* **57**, No. 9 (1985), Federal Republic of Germany.

Saberian-Broudjenni, M., Wild, G., Charpentier, J.-C., Fortin, Y., Euzen, J.-P., and Patoux, R. **423** Contribution to the hydrodynamic study of gas-liquid-solid fluidized-bed reactors, *Entropie* **20**, No. 120 (1984), France.

Poyen, S., Quemeneur, F., Bariou, B., and Desille, M. **441** Improvement of the flux of permeate in ultrafiltration by turbulence promoters, *Entropie*, No. 120 (1984), France.

Vasquez, G., Antorrena, G.M., Navaza, J. M., and Vega, J. L. **448** The influence of viscosity on the distribution of surface velocities, *Anales de Quimica de la Real Sociedad Espanola de Quimica, Quimica Fisica y Quimica Tecnica* **79**, No. 3 (1983), Spain.

Fukai, J., Watanabe, M., Miura, T., and Ohtani, S. **455** Simultaneous estimation of thermophysical properties by non-linear least-squares, *Kagaku Kogaku Ronbunshu* **11**, No. 1 (1985), Japan.

Yasuoka, H., Nakanishi, E., and Kunigita, E. **466** Design of an on-line startup system for a distillation column based on a simple algorithm, *Kagaku Kogaku Ronbunshu* **11**, No. 3 (1985), Japan.

Kuriyama, M., Toda, M., Harada, E., and Konno, H. **473** Heat transfer from a vibrating, rotating sphere in an air stream, *Kagaku Kogaku Ronbunshu* **11**, No. 5 (1985), Japan.

Tsujikawa, H., Osawa, T., and Inoue, H. **479** Separation of benzene and nitrogen by permeation through porous Vycor glass, *Kagaku Kogaku Ronbunshu* **11**, No. 5 (1985), Japan.

Sato, Y. and Yamamoto, K. **488** Mechanisms of mixing and diffusion in isotropic, turbulent flow based on experimental data for the Lagrangian velocity auto-correlation and for turbulent diffusion, *Kagaku Kogaku Ronbunshu* **11**, No. 5 (1985), Japan.

Shirato, M., Yamazaki, H., Murase, T., and Iwata, M. **498** Frictional resistance between a fluid and a grooved, rotating disc in a dynamic filter chamber without permeation or throughflow, *Kagaku Kogaku Ronbunshu* **11**, No. 6 (1985), Japan.

Yamaguchi, M., Kobayashi, A., Ohbori, K., and Katayama, T. **506** Continuous separation of an emulsion of water in oil by applying a DC electric field, *Kagaku Kogaku Ronbunshu* **11**, No. 6 (1985), Japan.

Hidaka, J., Kirimoto, Y., Miwa, S., and Makino, K. **514** Discontinuous deformation and flow, and the frictional properties of granular materials, *Funtai Kogaku Kaishi* **22**, No. 7 (1985), Japan.

Li, D., Ma, Y., Zhao, Z., Zhao, X., and Zhai, W. **524** A mathematical model for the low-pressure hydroformylation of propene to butanol on a cobalt-phosphorus catalyst, *Huagong Xuebao*, No. 2 (1984), People's Republic of China.

Czelej, M. **535** The polynomial form of the Wilson equation for binary and ternary systems, *Inzynieria Chemiczna i Procesowa* **3**, No. 3-4 (1982), Poland.

Tabiš, B. **539** A method of calculation for tubular reactors using a Green's function, *Inzynieria Chemiczna i Procesowa* **3**, No. 3-4 (1982), Poland.

Sieniutycz, S. **545** Variational approach to the fundamental equations of heat, mass, and momentum transport in strongly unsteady-state processes. I. General action functionals, *Inzynieria Chemiczna i Procesowa* **3**, No. 3-4 (1982), Poland.

Zaleski, T. and Lachowski, A. 556 Unsteady temperature profiles in parallel-flow spiral heat exchangers, *Inzynieria Chemiczna i Procesowa* **5**, No. 3 (1984), Poland.

Hulewicz, Z. Z. 566 Resistance to flow through a granular bed in the laminar regime. I. Derivation of a new correlating equation, *Inzynieria* Chemiczna i Procesowa **5**, No. 2 (1984), Poland.

574 International Schedule of Chemical Engineering Meetings.

CONTENTS
Vol. 27, No. 4, October 1987

Schügerl, K., Lübbert, A., Korte, T., and Diekmann, J. 583 Measuring techniques for characterizing gas/liquid reactors, *Chemie-Ingenieur-Technik* **57**, No. 8 (1985), Federal Republic of Germany.

Fullarton, D., Schlünder, E.U. and Yüksel, L. 597 Condensation of mixtures of isopropanol and steam, *Chemical Engineering and Processing* **19**, No. 2 (1985), Federal Republic of Germany.

Large, J. F., Guignon, P., and Molodtsof, Y. 607 The hydrodynamics of raining-particle heat exchangers and their applications, *Entropie* **21**, No. 124 (1985), France.

Kafarov, V. V., Vinarov, A. Yu., and Gordeev, L. S 615 Modeling of bioreactors, *Itogi Nauki i Tekhniki, Seriya Protsessy i Apparaty Khimicheskoi Tekhnologiie* **10** (1982), Soviet Union.

Aguayo, A. T., Romero, A., Arandes, J. M., and Bilbao, J. 642 Effect of the properties of silica-alumina catalysts on their deactivation by the deposition of coke, *Anales de Quimica, Quimica Fisica y Quimica Tecnica, Serie A* **80**, No. 3 (1984), Spain.

Aguayo, A. T., Romero, A., and Bilbao, J. 650 Relationship between the properties of silica-alumina catalysts and their activity for the dehydration of alcohols, *Anales de Quimica, Quimica Fisica y Quimica Tecnica, Serie A* **80**, No. 3 (1984), Spain.

Matsubara, M. 657 Similarity analyses of the composition and chemical structure of heavy oils by statistical methods, *Sekiyu Gakkaishi* **27**, No. 6 (1984), Japan.

Takamatsu, T., Hashimoto, I., and Hashimoto, Y. 669 Selection of manipulated variables to minimize interaction in multivariate control of a distillation column, *Kagaku Kogaku Ronbunshu* **11**, No. 6 (1985), Japan.

Takasaki, Y., Komatsu, K., and Tachikawa, N. 678 Kinetic method of evaluating a catalyst, *Kagaku Kogaku Ronbunshu* **12**, No. 1 (1986), Japan.

Sawada, T., Kuwahara, M., Nakamura, Y., and Suda, H. 686 Effect of a process of explosion for the effective utilization of biomass, *Kagaku Kogaku Ronbunshu* **12**, No. 1 (1986), Japan.

Kuroda, C., Ogawa, K., and Inoue, I. 694 Measurement of fluctuations in the concentration of helium in a turbulent stream of air, *Kagaku Kogaku Ronbunshu* **12**, No. 2 (1986), Japan.

Tanno, S., Kawasaki, T., Miura, T., and Ohtani, S. 701 Effect of the rate of flow of ambient air on the rate of deposition of droplets in a spray chamber, *Kagaku Kogaku Ronbunshu* **12**, No. 2 (1986), Japan.

Hojo, H., Tsuda, K., Arai, M., and Kano, Y.

709 Flame propagation in a cylindrical pipe and the quenching ability of a flame arrester, *Kagaku Kogaku Ronbunshu* **12**, No. 2 (1986), Japan.

Kunugita, E., Nishitani, H., *and Kutsuwa, Y.*

716 Feasible regions and flexibility of a process system represented by a linear model, *Kagaku Kogaku Ronbunshu* **12**, No. 3 (1986), Japan.

Mohilla, R., Argyelán, J., and Szolcsanyi, P.

723 *A rapid method for calculating the breakthrough curve of* gas-cleaning adsorbers, *Magyar Kémikusok Lapja* **41**, No. 2 *(1986), Hungary.*

Dolesjs, V. and Machac, I.

730 Pressure drop in the flow of a fluid through a fixed bed of particles, *Chemický Průmysl* **34**, No. 9 (1984), Czechoslovakia.

Dylag, M. and Maszek, L.

737 Flat wire-mesh demisters for gases. II. Physical and mathematical models, *Inzynieria Chemiczna i Procesowa* **3**, No. 2 (1982), Poland.

742 Errata

743 *Index of authors, Volume 27, Nos. 1, 2, 3, and 4 (1987).*

754 International Schedule of Chemical Engineering Meetings.